

## Maharashtra University of Health Sciences, Nashik

Following documents need to available on web site

Trust Deed / Bylaws/ Registration Certificate (Trust / Hospital (Bombay Nursing Act))

Faculty..B.:Sc..Nursing

Name of College/Institutes Shardabai Pawar Institute of Nursing, Baramati

Name of Trust / Society	Agricultural Development Trust, Baramati
Registration Certificate To be uploaded on web site clear and original copy	Trust / Society :- To be uploaded on web site
	Trust Deed / Bylaws:- To be uploaded on web site
	Hospital Ownership Documents:-
	Hospital (Bombay Nursing Act) :- To be uploaded on web site
	MPCB Certificate of Parent Hospital :- To be uploaded on web site
Hospital Type as Per Bombay Nursing Act :-	
Hospital (Bombay Nursing Act) issuing Authority :- Govt of Maharashtra, Public Health Dept	
Hospital Bed as per Certificate:- 100	
Name of the College / Institute (As per First Affiliation letter)	: Shardabai Pawar Institute of Nursing, Baramati
Address	: Near Malegaon colony, Shardanagar, Baramati, Dist - Pune Pin - 413115.
Email ID	: shardayanursing@gmail.com.
Telephone / Mobile No.(s)	: 9881582123
Website	: www.spinursing.org.
College Code	: 09184.

Here by I declare all relevant document uploaded are clear and visible on web site & are true as per my best knowledge

Any Other, Please Specify:-

Date:- 27/2/2026

Chairman of LIC

Member Of LIC

Dean/ Principal Stamp & Signature  
Principal Member Of LIC  
Shardabai Pawar Institute of Nursing  
Shardanagar, Tal: Baramati, Dist: Pune

<b>VII. Central Clinical Laboratory details</b> (all Relevant information on hospital letter head to be uploaded on web site) Well-equipped with separate sections for Pathology, Biochemistry and Microbiology. Attached toilet shall be there for collection of urine samples. Other diagnostic tools for ECG or TMT etc. shall be Provided.	Yes/No	Adequate
<b>VIII. Radiology or Sonography Section:- :-</b> (all Relevant information on hospital letter head to be uploaded on web site ) Radiologist chamber, X-ray room, Dark room, film drying room, store room, patients waiting and dressing room, reception or registration or report room.	Yes/No	Adequate
<b>IX. Labor Room :-</b> Average Deliveries conducted annually/Monthly/ Daily as per Birth record maintained by hospital:- (information to be available on web site)	Yes/No	Adequate

### BASIC DETAILS ABOUT INFRASTRUCTURE CHECK LIST

PARTICULAR TO BE VERIFY BY ASSESSOR	YES / NO	Remark
Certified Copy of Location Of College Building Address by Government authority (Search Report) to be uploaded at website	Yes	
Certified Copy of Location Of Hostel Building Addressed by Government authority (Search Report) to be uploaded on website	Yes	
Is Separate College Building Not Available {Attach resolution of Trust /owner for Area Allocation } to be uploaded on website	Yes	
Is Separate Hostel Building Available { Attach resolution of Trust /owner for Area Allocation} to be uploaded at website	Yes	
Authorized Building Plan approved by Competent Authority to be uploaded at website	Yes	
Availability of Building Completion (College / Hostel ) Certificate by Competent Authority to be uploaded at website	Yes	
Lease or Rent Agreement of College if Required to be uploaded at website	NO	
Provision Of Fire Safety Measure as per standard norms of Government	Yes	
Fire Safety Certificate for College , Hostel And Hospital to be uploaded at website	Yes	
General Student Safety Measures done in Building as per norms	Yes .	
Provision for facility Physically Challenged Students	Yes .	
<b>OTHER INFRASTRUCTURAL PROVISIONS</b>	<b>YES/NO</b>	<b>REMARK</b>
<b>Playground</b> (Playground should be spacious for outdoor sports like volleyball, football, badminton and for athletics)	Yes .	
Provision for Physical Teacher for Student in College And Hostel	Yes .	
<b>Garage</b> (Garage should accommodate a 50 seated vehicle)	Yes .	
<b>Gymnasium Facility</b> to be uploaded on website	Yes .	

Any Other Remarks ( Please Specify ) :-

Here by I declare all relevant document uploaded are clear and visible on web site are true as per my best knowledge:-

Date:- 27/2/2026

Chairman of LIC

Member Of LIC

*Veera*  
Dean/ Principal Stamp & Signature  
Principal

Member Of LIC  
Shardabai Pawar Institute Of Nursing  
Shardanagar, Tal: Baramati, Dist: Pune

Udhamt  
LIS

} = 7-2-72

107/92	Each
00040	00.20
00010	02.05
00050	00.25
<hr/>	
100	

*M. S. ...*  
17/2/72

No.-6170

CERTIFICATE OF REGISTRATION.

The Societies Registration Act, 1860.

Registration No. MAh-687-PN

Name of Office :- Assistant Registrar of Societies,  
FOONA Region.

Name of Society :- Baranati Agriculture Development Trust  
Baranati.

To whom issued :- President.

Date :- 29.3.71.

Sd/-  
29/3-


Assistant Registrar of Societies,  
Foona Region.

True Copy.

Copied by *M. S. ...*

Original Compared by: *M. S. ...*

*M. S. ...*  
17/2/72  
Assistant Registrar of Societies  
Foona Region



Serial No. 462/11  
 Words 50  
 Copying fee 0.45; 0.20; 0.60  
 Comparing fee 0.10 0.45 - 0.15  
 Paper charge 0.20 0.20 0.20  
 Total Rs. 1.25

Copy prepared for on 4/12/73  
 4/12/73  
 4/12/73

Superintendent,  
 Public Trusts Registration,  
 Office, Poona Region, Poona

Inquiry No. 46/71.



नोंदणी प्रमाणपत्र

सार्वजनिक विवरण प्रकथना नोंदणी कार्यालय, Public Trusts Registration Office, Poona Region, Poona.

सार्वजनिक विवरण प्रकथने नोंद :- बाराबोरी, बाराबोरी, जि. पुणे.

नोंदणी क्र. 46/71/ पुणे.

कोषाला दिले. प्रकथन, वी. बाराबोरी पोकिन्नात नगर



दे. न. बाराबोरी  
 3d/-  
 Assistant Charity Commissioner,  
 Poona Region, Poona.

प्रमाणपत्र देणारा.

Copied By

Compared By

कृ.जमीन २४१०/१११५ प्र.कृ.पु. ४४९-ज-५,  
महसूल व वन विभाग,  
मंत्रालय, मुंबई ४०००३२  
दिनांक : -११ मे १९९२.

विषय:- जमीन- पुणे

गौजे वारामती स.नं. ८८, ८९ व

१२-१-अ मधील एकूण ५.३७ हेक्टर जमीन वारामती कृषि  
विकास प्रतिष्ठान संस्थेला महिला विधायिकासाठी देणोवापर

ज्ञापन:-

शासन निर्णय, महसूल व वन विभाग कृ.जमीन २४१०/१५५/प्र.कृ. १६१/  
ज-५, दिनांक १९ मे १९९० अन्वये गौजे वारामती ता. वारामती, जिल्हा  
पुणे येथील स.नं. ८८ या जमिनीपैकी ६ हे. २ आर जमीन वारामती कृषि  
विकास प्रतिष्ठान या संस्थेला महिला विधायिकाची इमारत, महिला विधार्थिनी  
वसतिगृह, शिक्षकांचे निवासस्थान इत्यादि शैक्षणिक प्रयोजनार्थ शासनाने  
मंजुरी दिली होती. आता शासनाच्या असे निदर्शनास आणून देण्यात आले  
की स.नं. ८८ मध्ये फक्त २ हे. ४३ आर स्वदेय क्षेत्र उपलब्ध असल्याने संस्थेस  
मंजूर करण्यात आलेले क्षेत्र उपलब्ध करून देणे शक्य नाही. तसेच उपरोक्त  
दिनांक १९ मे १९९० चे आदेशा रद्द करण्यात येत आहेत.


२. आयुक्त, पुणे विभाग याचेमार्फत शासनास प्राप्त झालेल्या जिल्हाधिकारी  
पुणे यांच्या वरील विषया संबंधीच्या कृ.पमअ/सीआर/१५४५/तीन, दिनांक  
१-२-१९९२ च्या पत्राच्या अनुषंगाने जिल्हाधिकारी, पुणे यांना विज्ञप्तीपूर्वक  
असे कळविण्यात येते की गौजे वारामती ता. वारामती जिल्हा पुणे येथील  
स.कृ. ८८ मधील २ हे. ४३ आर, स.नं. ८९ मधील १ हे. २१ आर, स.नं. ९२/  
१३ मधील १ हे. १७ आर व स.नं. ९२ लागती वीन नंबरचे [छापीची जागा]  
मधील ५६ आर असे एकूण ५ हे. ३७ आर क्षेत्र वारामती कृषि विकास प्रतिष्ठान  
संस्थेला, महिला विधायिकाची इमारत, महिला विधार्थिनीचे वसतिगृह व  
शिक्षकांचे निवासस्थान या प्रयोजनार्थ महाराष्ट्र जमिन महसूल [स.ज. वि.]  
नियम, १९७१ मधील नियम ६ मधील तरतूदीनुसार भोगाधिकार मुल्यरहित  
व वारामतीने व शासन परिपत्रक महसूल व वन विभाग कृ. स्लआरस्फ १०८३/  
७११३४/प्र.कृ. ३५७८/ग-६, दि. ८.२.१९८३ मधील अटी व शर्तीच्या आधीन  
राहून व जिल्हाधिकारी पुणे यांना योग्य वाटतील त्या इतर नेहमीच्या अटी  
व शर्तीवर मंजूर करण्यास शासनाने मान्यता दिली आहे.

३. हे ज्ञापन वाटवंधारे विभागाच्या व शिक्षण व सेवा योजन विभागाच्या  
तह्यातीने व शासन निर्णय वित्त विभाग कृ. ओडीओ १३७७/१६७/७७ /व्यप-९  
दिनांक २०.७.१९७७ अन्वये या विभागात प्रदान करण्यात आलेल्या अधिकाराचा  
वापर करून निर्गमित करण्यात येत आहेत.

कृ.मा.प.

४४, ४५  
३२/१/१९९२

४- सोचत प्रकरणातबांधीची एक संघिका परत करण्यात येत आहे.  
महाराष्ट्राचे राज्यपाल यांच्या आदेशानुसार व नांवाने,

  
[मा. पां. गांगुडे]

अतिरिक्त कार्यासिन अधिकारी  
महसूल व वन विभाग.

प्रति

जिल्हाधिकारी, पुणे [सोचत कागदपत्र अंक संघिका] पुणे  
प्रतिलिपी माहिती करिता अर्पित.

- १] आयुक्त पुणे विभाग, पुणे
- २] जमावंदी आयुक्त व संचालक भूमि अभिलेख, पुणे
- ३] जिल्हा निरीक्षक, भूमि अभिलेख, पुणे
- ४] सहाय्यक संचालक, नगर रचना, पुणे [लेखा परिषद]
- ५] महालेखाकार, महाराष्ट्र राज्य, मुंबई -१/नागपूर-२
- ६] महालेखाकार, महाराष्ट्र राज्य [लेखा व अनुज्ञेयता] मुंबई-१/नागपूर-२
- ७] वित्त विभाग, व्यय-९, मंत्रालय, मुंबई
- ८] पाट वंगारे विभाग, मंत्रालय, मुंबई
- ९] शिक्षण व सेवायोजन विभाग, मंत्रालय, मुंबई
- १०] महसूल व वन विभाग ज-५ [मुंबई नसती]



GOVERNMENT OF MAHARASHTRA  
PUBLIC HEALTH DEPARTMENT

**Certificate of Registration under Section 5 of the  
Bombay Nursing Homes Registration  
(Under Rule 5)  
(Amendment Act 2005)  
Maharashtra Act No.2 of 2006**

**NO.329**

This is to certify that Dr. Vishal Jayantilal Mehta, MBBS (DGO) & Dr Nikita Vishal Mehata, MBBS (DA) has been registered under the Bombay Nursing Homes Registration Act, 1949 in respect of Mehta Hospital situated at VTC Center, Plot No.17, Gat No.123, Behind Dutta Bekary, Near Virshaiv Mangal Karyalay, Bhigwan Road, Baramati, Dist Pune And has been authorized to carry on the said Nursing Home.

Registration No.329

Maternity Patients 50 Beds  
Other Nursing Patients 50 Beds

Date of Registration: - 21-11-2015.

Date of issue of Certificate. 26.04.2024.

This certificate shall be valid upto 31 March 2027.



*M. J. Mehta*  
Civil Surgeon, Pune.  
Civil Surgeon, Pune

GOVT. OF MAHARASHTRA



Public Health Department

(PRE-CONCEPTION AND PRE-NATAL DIAGNOSTIC TECHNIQUES)  
(PROHIBITION OF SEX SELECTION)

[See Rule 6 (2) 6 (5) and 8 (2)]

CERTIFICATE OF REGISTRATION

1. In exercise of the powers conferred under Sec. 19(1) of the pre-natal Diagnostic Techniques (Regulation and Prevention of Misuse) Act, 1994 (57 of 1994), the Appropriate Authority Civil Surgeon, Civil Hospital, Aundh, Pune 411027 hereby grants registration to the Genetic Counseling Centre\*/Genetic Laboratory\*/Genetic Clinic\*/Ultrasound Clinic\*/Imaging Centre\* named below for purpose of carrying out Genetic Counseling / Pre-natal Diagnostic Procedures\*/ Pre-natal Diagnostic Tests / Ultrasonography\* under the aforesaid Act for a period of five years ending on...1.5.05.2028.....
2. This registration is granted subject to the aforesaid Act and Rules the there under and any contravention there of shall result in suspension or cancellation of this Certificate of Registration before the expiry of the said period of five years, apart from prosecution.

A. Name and address of the Genetic Counseling Centre\* / Genetic Laboratory\* / Genetic Clinic\*  
Ultrasound Clinic\* / Imaging Centre\* Dr. Vishal Mehta, Mehata Hospital  
VTC Center, Bhigwan Road, Plot No. 17, Gat No. 123 Near  
Virshay Mangal Karyalay, Baramati Dist. Pune

B. Pre-natal diagnostic procedures approved for (Genetic Clinic)

Permitted for  
Invasive Procedure

- Non-Invasive : (i) Ultrasound  
Invasive : (ii) Amniocentesis (iii) Chorionic villi biopsy  
(iv) Fetoscopy (v) Foetal skin or organ biopsy  
(vi) Cordocentesis (vii) Any other (specify)

C. Pre-natal diagnostic tests\* approved (for Genetic Laboratory)

- (I) Chromosomal studies (ii) Biochemical studies  
(iii) Molecular studies

- ① Dr. Shishir Zargad  
DMRD  
② Dr. Rajeev Khare  
DNB. (cardio)  
③ Dr. Vishal Mehata  
(MBS. DGO)

D. Any other purpose (please specify) : Radiologist / Gynaecologist

④ Dr. Mugdha Patil, DMRE

3. And Make of Equipments being used (any change is to be intimated to the Appropriate Authority under rule 13) ① Philips HDS ② Mindray DC 60


4. Registration No. allotted

CS/PH/SJGRH/DDHS/34/08

5. Period of validity of earlier Certificate of Registration.

(For renewed Certificate of Registration only) From 23-03-2018 To 20-02-23

Date 16-05-23



Signature, Name and Designation of  
the Appropriate Authority

17/5/23  
16/5/23  
Civil Surgeon, Pune

(To be issued in Duplicate)

- ① Dr. Vidula Dhayqude, Radiology
- ② Dr. Shreeyash Darade, Cardiologist
- ③ Dr. Ambardekar Ketan, Cardiologist

17/9/24  
10/11/24

# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781  
Fax: 24024068/24023515  
Website: <http://mpcb.gov.in>  
Email: [psob@mpcb.gov.in](mailto:psob@mpcb.gov.in)



Kalpataru Point, 2nd, 3rd  
and 4th floor, Opp. Cine  
Planet Cinema, Near Sion  
Circle, Sion (E),  
Mumbai-400022

**ORANGE/S.S.I**

**Date: 03/10/2025**

**No:- Format1.0/PSO/UAN No.0000255556/CO/2510000178**

To,  
**MEHTA HOSPITAL**  
**NEAR VIRSHAIV MANGAL KARYALAY,,BHIGWAN ROAD,**  
**BARAMATI-413102.**  
Email:[arihantbaramati@gmail.com](mailto:arihantbaramati@gmail.com)  
Contact No.:8862055437



*Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. PSO/UAN NO.0000193792/CO/2409000218 dtd. 04.09.2024
  2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 10/08/2025
  3. SRO Pune-I report dtd. 22.08.2025
  4. SCN for refusal of application dtd. 09.09.2025

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined Consent to operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **06-07-2025 To 05-07-2029**
2. HCF Area : - Plot Area 1672.88 M<sup>2</sup> with Built-up area 1820.93 M<sup>2</sup>.
3. **Activities Included**
  - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 329 valid upto 31-03-2027)
4. **Conditions under the Water (P&CP) Act, 1974:-**
  1. Quantity of total water consumption shall not exceed 34 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
  2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge		10	Kg/M	

#### 7. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

#### 8. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **M/s Jaibhavani Bio Medicare System, Baramati, Pune** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
9. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. As per your reply dtd. 11.09.2025 you shall upgrade an STP/ETP of adequate capacity within 3 months, and also submit a Bank Guarantee of Rs. 1.00 Lakh towards its upgradation.
17. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Pune within 15 days. Non submission of B.G. in specified time shall attract 12% interest on BG amount.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



*Vishwajeet Ramesh Thakur*

8418ce10  
41fa0819  
e9ba2f53  
f1f443cc  
e20a3a42  
a0aa7021  
8a7d2e12  
4dcd0bc7

Signed by: **Dr. Vishwajeet Ramesh Thakur**  
Principal Scientific Officer  
For and on behalf of,  
**Maharashtra Pollution Control Board**  
ps@mpcb.gov.in  
2025-10-03 11:26:15 IST

**Received Consent/Authorization fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	45000.00	TXN2508001775	10/08/2025	Online Payment
2	1418.00	TXN2508002840	14/08/2025	Online Payment
3	801.00	TXN2509002073	11/09/2025	Online Payment
4	24460.00	TXN2509005982	30/09/2025	Online Payment

**The balance fee of Rs. 15,000/- shall remain with the Board and will be adjusted during the renewal of the next CCA.**

**Copy to:**

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Pune I  
- You are directed to ensure the compliance of the consent conditions & BG imposed.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

## Annexure - I

### Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

Consumption Details:-

<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
Industrial Cooling, spraying in mine pits or boiler feed	0.00
Domestic purpose	31.00
Pathology Laboratory, Floor washing, Operation Theater	3.00
Laundry	0.00
Other such as agriculture, gardening, etc.	0.00

Standards for Sewage & Effluent Generation, Treatment and Disposal:-

<b>Description</b>	<b>Permitted quantity of discharge (CMD)</b>	<b>Standards to be achieved</b>	<b>Disposal</b>
Domestic Sewage	28	As per clause 'C'	Recycle & used for flushing & gardening and remaining send to local body sewer line
Trade effluent	2	As per clause 'C'	100% Recycle

operate the combined waste water treatment plant of adequate design and capacity to treat domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent as per the following standard prescribed below.

<b>Parameters</b>	<b>Discharge Standards applicable</b>
	<b>Limiting Concentration in mg/except for pH</b>
pH	6.5-9.0
Oil & Grease	10
BOD (3 days 27°C )	30

**Annexure - II**

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	DG set 65 KVA	Diesel	3.00 Ltr/Hr	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	60.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Jaibhavani Bio Medicare System, Baramati, Pune Baramati, Pune
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	45.00		
		d) Expired or Discarded Medicines	60.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	30.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Jaibhavani Bio Medicare System, Baramati, Pune Baramati, Pune
3	White (Translucent)	Waste sharps including Metals	50.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Jaibhavani Bio Medicare System, Baramati, Pune Baramati, Pune
4	Blue	a) Glassware	20.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s Jaibhavani Bio Medicare System, Baramati, Pune Baramati, Pune
		b) Metallic body implants	20.00		

**Responsibilities of HCF**

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **M/s Jaibhavani Bio Medicare System, Baramati, Pune** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Pune and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To comply the conditions mention in Combined Consent to Operate and BMW Authorization.	Continuous	50,000.00
2	To upgrade existing STP/ETP meeting discharge standards	Continuous	100,000.00
<b>Total</b>			<b>1,50,000.00</b>

**Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.**

**The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.**

**If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122**



**General Conditions****The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Pune.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

- 
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
  15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
  16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
  17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
  18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
  19. The Energy source for lighting purpose shall preferably be LED based.
  20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
  21. You shall provide personal protection equipment as per norms of Factory Act 1948
  22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

**This certificate is digitally & electronically signed.**

---

